

dryingCabinet speedDry type TS8 Premium Gen4

Drying cabinet 8 sets

Drying cabinet in the speedDry series, made of hot galvanised sheet metal, powder-coated, double-wing doors with magnetic fastener with interlock function. 16 alluminium dryer arms for shoes and gloves (oval aluminium) with unique Steurer speedDry blow-out end caps. 8 removable, unique blowout clothes rail for hanging up jackets and trousers to simplify handling and drying operations. Powerful ebm-papst blower with approx. 385 m³ air displacement per hour, high-quality stainless steel heating coil to heat the air (overtemperature protection), with optimum ionisation unit to neutralise odours and remove pathogens from the air in an ozone-free manner. The new xControl control unit with colour display and industry-standard plastic foil keyboard provides the operator with a simple and intuitive as well as multi-lingual user interface for managing the timing and power consumption of the system. The timers have variable settings and a countdown time can also be enabled (countdown function). As an option, the xControl controller is also able to activate a definable drying cycle, which it does using an external input (EIB/house controller etc.).



88888

PRODUCT INFO:

W / H / D Connected load Color Shoes Gloves Jacket / pants Connection ratings Item No. 120 | 198 | 76 cm 2150 W RAL 7016 anthracite grey 8 pairs 8 pairs 8 sets 230 V AC | 50 Hz tr-spe-50068



dryingSystems speedDry

produktline features





dryingSystems speedDry the technology

- various designs and offer lots of equipment options.
- They are divided into three product groups: - Drying cabinet speedDry (4/6/8) - Universal dryer speedDry (4/6/8)
 - Shoe dryer speedDry (10/15/20 pairs)
- We only use quality galvanised sheet metal: in combination with our own powder coating, we guarantee excellent protection from corrosion.
- The latest in ebm-papst fans combined with heated air guarantee an energy efficient drying environment that is easy on your equipment.
- As an additional highlight, the speedDry System can be equipped with ozone-free ionisation units which sterilise the air and neutralise odours.

- The dryers in the speedDry series are available in The new xControl control unit with colour display and industrial membrane keyboard offers the user a multilingual interface for simple and intuitive systems' time and energy management.
 - The timers can be set as desired, and a countdown timer may be activated (egg timer function). The xControl controls also offer the option of activating a defined drying cycle via an external input (EIB/house controls, etc.)



dryingCabinet speedDry (4/6/8)



universal dryer speedDry (4/6/8)



boot dryer speedDry (10/15/20 pairs)