



Drytech

Solutions for drying, disinfecting, and deodorizing work clothing and gear




WINTERSTEIGER Drytech.

WINTERSTEIGER Drytech is a partner you can rely on for drying, disinfecting, and deodorizing all types of clothing and kits, such as jackets, pants, boots, gloves, and helmets – worldwide.

By investing in professional drying and hygiene systems you are making a positive contribution to staff hygiene and health. And, you are also helping to extend the lifespan of the high-quality clothes or kit. Compared to conventional drying systems, you can also reduce your energy costs with WINTERSTEIGER solutions.

No matter what you want to dry efficiently and hygienically, our experts are here to help you find the right solution for your needs.



Contents:

| Product overview | 10 |
|-----------------------|----|
| Open drying panels | 12 |
| Closed drying systems | 26 |
| Accessories | 44 |

Your benefits summed up.



Quality "Made in Austria"



The latest production facilities, our own R&D department, in-house engineering and production – everything from a single source



Many years of experience in producing metal lockers and drying systems



Innovation and market leader in the field of drying systems



Wide range – the optimum solution for every requirement



Complete planning expertise – from the 2D base dimension planning to 3D visualization and planning



Drying guarantee

- Material-friendly drying time: Each unit can be individually adjusted, so it is gentle on clothing and boots.
- Space-saving design:
 Our modular system is available in several sizes and versions to suit different needs.
- The system grows with you:
 Unlimited expansion options for any number of boots and items of clothing.

Fields of application.

Solutions for drying, disinfecting, and neutralizing the odor of clothing and kits, such as jackets, pants, boots, gloves, and helmets.

Shipbuilding/maritime sector



Fishing



Infrastructure (roads, railway, airports)



Food industry



Firefightin



Military and police



Energy suppliers



Chemical and pharmaceutical Industry



Municipal companies



Construction industry



Production and maintenance



Forestry



Farming



Sports clubs (football, tennis, riding)



Private households



Drying technology

SpeedDry Rapid air circulation drying.



A high-quality air circulation fan combined with heated air ensures material-friendly and energy-saving kit drying.

- Recirculation drying
- Combination of a powerful fan and a heating system
- Two drying versions: Ambient air drying or heated air drying
- Ambient temperature of 15 °C or above

- Moisture is released via the ambient air
- Plug & Play product
- Optionally with Sterex hygiene function, based on innovative plasma technology
- Quick, gentle kit drying

GreenDry Energy-efficient condensation drying.



As well as recirculation drying, DRYTECH drying solutions also offer highly energy efficient and economical condensation drying. The lockers use up to 60% less energy than comparable products! This is achieved by reducing the number of heating rods which only switch on briefly at the start of the drying cycle to reach the necessary operating temperature. They are then only switched on again when needed – if the locker falls below the required operating temperature.

The condensate is either collected in a water tank or fed directly back into the wastewater system via an outlet at the back of the unit, provided that a connection is available.

In addition to the energy savings, other benefits include an improved indoor climate and use at an ambient temperature of 7 °C and above. As the moisture is drawn out of the clothing in the locker and discharged, the ambient air is not saturated with moisture, as is the case with simple dryers. This prevents mold and unpleasant musty smells in the basement and common rooms, and moisture from neighboring shower rooms is reduced.

INNOVATIVE: Sterex plasma technology. Make germs and unpleasant odors a thing of the past!



How it works:

In simple terms, this complex process can be outlined as follows: Air is charged using an electronically controlled electrode at high voltage to create a plasma-air mixture. This mixture acts as an extremely effective disinfectant – in the air as well as on surfaces and textiles. The system is maintenance-free and requires no chemical additives.

Effect:

Depending on the type of device, the disinfectant eliminates up to 99.9 % (3 log stages) of microorganisms in efficacy groups A and B as specified in the RKI List (as issued by the Robert Koch Institute, Germany).

- Efficacy group A primarily covers bacteria, fungi, and fungal spores.
- Efficacy group B covers viruses, including the coronavirus "SARS-CoV-2". This is documented in the RKI List of tested and certified disinfectants and disinfection methods dated October 31, 2017 (17th Edition).
- The STEREX technology also reliably removes unpleasant odors from clothing and work apparel. Disinfection is carried out without the use of toxic or environmentally harmful chemistry. It presents no risk to health.

Certification:

The disinfectant efficacy of the STEREX technology has been confirmed by the recognized Center of Excellence for Technical Hygiene and Applied Microbiology Dr. Schmelz GmbH (Kompetenzzentrum für technische Hygiene und angewandte Mikrobiologie Dr. Schmelz GmbH) in Malsfeld, Germany by Dr.med. Dipl.-Chem. Dipl-Ing.(FH) Ulrich-Friedrich Schmelz..



Your benefits summed up:

- Disinfection without the use of toxic or environmentally harmful chemicals
- Extremely efficient against viruses, bacteria, mold, and spores
- Neutralizes the odor of volatile organic compounds such as sweat
- Improves the indoor climate, resulting in fresh, healthy air
- Unlike ozone it is not oxidizina
- Beneficial for health
- Does not damage plastics or synthetic fibers
- Proven technology, for example in drinking water treatment



For further information please visit our website www.wintersteiger.com/sterex

An investment that pays off!

Why choose a professional drying system?

- Protection against moisture and damp air are just as expected as an umbrella, raincoat, and waterrepellent shoes these days.
- An efficient drying option is a sign of appreciation
- Dry boots and clothes promote a sense of well-being; it raises employees' morale and can reduce absence due to illness.
- Professional drying is material-friendly and extends the lifespan of boots and clothing.
- If wet boots are only air dried, then different boot materials such as leather, can become brittle and hard and hurt the sensitive skin on the feet.

What are the defining features of a DRYTECH drying system?

- We process sendzimized highquality thin-gage sheet metal in quality class A with powder coating
- Surface is perfectly protected against sparks or embers, while also being impact and scratchresistant and easy to clean
- We only use high-quality components
- All drying devices correspond to the highest safety standards and are CE certified
- High production standard with flexible, largely automated production

What are the economic benefits of the drying systems?

- Gentle drying process at low temperature and high volumes of air
- Energy-efficient use with timer function
- Motivated, more productive employees
- Potential reduction in the number of staff sick days because of damp work clothes and gear
- Drying systems from WINTERSTEIGER Drytech can be extended at any time
- Easy device maintenance and repairs



Drying solutions for all applications.

STORAGE























TYPES

Tantum Boot 5 Tantum Boot 10 Tantum Boot 15 Tantum Boot 20 Tantum Boot 2x20 Tantum Set 2 Premium Tantum Set 4 Premium Tantum Set 8 Premium

DIMENSIONS (W x H x D)

40/60/90/120 x 183 x 62 cm

40/60/120 x 183 x 74 cm

DRYING SYSTEM

SpeedDry

SpeedDry

CAPACITY

5 - 40 pairs

2 - 8 sets





































Tantum Var 4 Tantum Var 4+4 Tantum Var 10

174 x 50 x 41 cm

SpeedDry

4 - 10 pairs of boots/gloves

Primus Uni 10 Primus Mask 15

Primus Set 4 (Standard/Premium/Helmet) Primus Set 8 (Standard/Premium/Helmet)

60/120 x 198 x 76 cm

SpeedDry

10 pairs of boots / 15 masks / 4 - 8 sets

Econ Set 4 (Premium/Helmet) Econ Set 8 (Premium/Helmet) Econ Jacket 16 Premium Econ Universal

60/120 x 205 x 76 cm

GreenDry

4 - 8 sets / 16 jackets

Tantum

The Tantum series drying units are available in a range of different versions and cover a wide selection of optional equipment.

We make a distinction between three product groups:

- Tantum Boot
- Tantum Set
- Tantum Var

Maximum quality.

We only process hot galvanized high-quality thin-gage sheet metal. Together with our in-house powder coating, we ensure maximum corrosion protection.

Material-friendly drying.

A high-quality air circulation fan integrated into the body combined with heated air ensures material-friendly and energy-saving kit drying.

xControl.

The new xControl control unit with color display and industrial membrane keyboard offers users an easy, intuitive and multi-lingual user interface for managing the timing and energy of the system.

The timers can be easily adjusted with the ability to activate a countdown timer. The xControl control unit also offers the option of activating a definable drying cycle via an external input (EIB/home automation, etc.).







Tantum Boot

Tantum Set

Tantum Var



Foot, optionally available

Tantum Boot 5 Boot dryer

10 aluminum drying arms (alu oval) with special plastic drying nozzles for boots





Foot optionally available




Also available in stainless steel

| Technical data | | | | | | |
|----------------|---------------------------|------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-001 | Tantum Boot 5 | 183 x 40 x 62 cm | 65 kg | 1100 W | 230 V AC | |
| 62-111-001 | Tantum Boot 5 Sterex | 183 x 40 x 62 cm | 65 kg | 1110 W | 230 V AC | |
| 62-111-002 | Tantum Boot 5 Inox Sterex | 183 x 40 x 62 cm | 65 kg | 1110 W | 230 V AC | |

Tantum Boot 10 Boot dryer

20 aluminum drying arms (alu oval) with special plastic drying nozzles for boots




| Also available ii | n stainless steel |
|-------------------|-------------------|
|-------------------|-------------------|

| Technical data | | | | | | |
|----------------|----------------------------|------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-003 | Tantum Boot 10 | 183 x 60 x 62 cm | 76 kg | 2150 W | 230 V AC | |
| 62-111-003 | Tantum Boot 10 Sterex | 183 x 60 x 62 cm | 76 kg | 2160 W | 230 V AC | |
| 62-111-004 | Tantum Boot 10 Inox Sterex | 183 x 60 x 62 cm | 76 kg | 2160 W | 230 V AC | |

Tantum Boot 15 Boot dryer


30 aluminum drying arms (alu oval) with special plastic drying nozzles for boots



| Article no. | Name | HxWxD | Weight | Power consumption | Supply voltage |
|-------------|-----------------------|------------------|--------|-------------------|----------------|
| 62-011-005 | Tantum Boot 15 | 183 x 90 x 62 cm | 93 kg | 2150 W | 230 V AC |
| 62-111-005 | Tantum Boot 15 Sterex | 183 x 90 x 62 cm | 93 kg | 2160 W | 230 V AC |

Tantum Boot 20 Boot dryer

40 aluminum drying arms (alu oval) with special plastic drying nozzles for boots




Foot optionally available

| Technical data | | | | | | |
|----------------|-----------------------|-------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-006 | Tantum Boot 20 | 183 x 120 x 62 cm | 101 kg | 2150 W | 230 V AC | |
| 62-111-006 | Tantum Boot 20 Sterex | 183 x 120 x 62 cm | 101 kg | 2160 W | 230 V AC | |

Tantum Boot 2x20 Boot dryer

2 x 40 aluminum drying arms (alu oval) with special plastic drying nozzles for boots



| Technical data | | | | | | |
|----------------|-------------------------|--------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-007 | Tantum Boot 2x20 | 195 x 120 x 107 cm | 143 kg | 3150 W | 230 V AC | |
| 62-111-007 | Tantum Boot 2x20 Sterex | 195 x 120 x 107 cm | 143 kg | 3160 W | 230 V AC | |

Tantum Set 2 Premium Universal dryer

4 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (2 pairs) and gloves (2 pairs)

2x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants make handling and drying easier





Technical data

Foot optionally available

| Article no. | Name | HxWxD | Weight | Power consumption | Supply voltage |
|-------------|-----------------------------|------------------|--------|-------------------|----------------|
| 62-011-008 | Tantum Set 2 Premium | 183 x 40 x 74 cm | 66 kg | 1100 W | 230 V AC |
| 62-111-008 | Tantum Set 2 Premium Sterex | 183 x 40 x 74 cm | 66 kg | 1110 W | 230 V AC |

Tantum Set 4 Premium Universal dryer

8 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (4 pairs) and gloves (4 pairs)

4x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants make handling and drying easier





Foot optionally available

| Technical data | | | | | | |
|----------------|-----------------------------|------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-009 | Tantum Set 4 Premium | 183 x 60 x 74 cm | 78 kg | 2150 W | 230 V AC | |
| 62-111-009 | Tantum Set 4 Premium Sterex | 183 x 60 x 74 cm | 78 kg | 2160 W | 230 V AC | |

Tantum Set 8 Premium Universal dryer

16 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (8 pairs) and gloves (8 pairs)

8x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants make handling and drying easier.



xControl





Foot optionally available

| Technical data | | | | | |
|----------------|-----------------------------|-------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-011-010 | Tantum Set 8 Premium | 183 x 120 x 74 cm | 113 kg | 2150 W | 230 V AC |
| 62-111-010 | Tantum Set 8 Premium Sterex | 183 x 120 x 74 cm | 113 kg | 2160 W | 230 V AC |

Tantum Var 4 Boot dryer

Space-saving variable dryer from the Tantum series which can be used horizontally or vertically. 8 aluminum (alu oval) drying arms for boots (4 pairs) with special plastic drying nozzles





| Technical data | | | | | | |
|----------------|---------------------|---------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-011 | Tantum Var 4 | 174 x 50 x 41 | 31 kg | 900 W | 230 V AC | |
| 62-111-011 | Tantum Var 4 Sterex | 174 x 50 x 41 | 31 kg | 910 W | 230 V AC | |

Tantum Var 4+4 Boot/gloves dryer

Space-saving variable dryer from the Tantum series which can be used horizontally or vertically. 8 aluminum (alu oval) drying arms for boots (4 pairs) and gloves (4 pairs) with special plastic drying nozzles





| Technical data | | | | | |
|----------------|-----------------------|---------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-011-012 | Tantum Var 4+4 | 174 x 50 x 41 | 32 kg | 900 W | 230 V AC |
| 62-111-012 | Tantum Var 4+4 Sterex | 174 x 50 x 41 | 32 kg | 910 W | 230 V AC |

Tantum Var 10 Boot/gloves dryer

Space-saving variable dryer from the Tantum series which can be used horizontally or vertically. 20 aluminum (alu oval) drying arms for boots and gloves with special plastic drying nozzles



Also available in stainless steel

| Technical data | | | | | | |
|----------------|---------------------------|------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-011-013 | Tantum Var 10 | 174 x 50 x 41/61 | 32 kg | 900 W | 230 V AC | |
| 62-111-013 | Tantum Var 10 Sterex | 174 x 50 x 41/61 | 32 kg | 910 W | 230 V AC | |
| 62-111-014 | Tantum Var 10 Inox Sterex | 174 x 50 x 41/61 | 32 kg | 910 W | 230 V AC | |

Reference Projects

Varta Microbattery GmbH Ellwangen, Germany



Personal protective equipment is vital for employees working in battery manufacturing.

EfkoEferding, Austria



Food processing company efko, based in Eferding, Austria, uses the boot and shoe dryer to dry work shoes and rubber boots.

Disposal companiesConstance, Germany



Drying locker for complete sets of work gear.

Driving school Wintersteller Bad Ischl. Austria



Driving schools in the Salzkammergut, Austria, opt for a professional drying device for drying motorcycle gear.

Fire Department Ried im Innkreis, Austria



The fire-fighting equipment is dried efficiently, carefully, and hygienically, and is ready for use again in just a few hours.

City Neumünster Neumünster, Germany



Dry and disinfect their full work gear and protective footwear from street and canal maintenance, waste collection and green space maintenance.

Radatz Vienna Austria



Preheated work gear, coats, pants and shoes for the employees in the cold storage.

Dyemansion Munich, Austria



Global market leader in the field of innovative surface finishing and customizable solution for drying plastic components.

Kindergarten Admont Admont, Austria



Admont kindergarten and day nursery relies on professional drying equipment for the drying of wet shoes and clothes.



You can find more reference projects on our website wintersteiger.com/drytechreferences

Primus

The Primus series drying lockers are available in a range of different versions and cover a wide selection of optional equipment.

The following versions are available:

- Primus Uni 10
- Primus Mask 15
- Primus Set 4 (Standard, Premium, Helmet-Premium)
- Primus Set 8 (Standard, Premium, Helmet-Premium)

Maximum quality.

We only process hot galvanized high-quality thin-gage sheet metal. Together with our in-house powder coating, we ensure maximum corrosion protection.

Material-friendly drying.

A high-quality air circulation fan integrated into the body combined with heated drying air ensures material-friendly and energy-saving kit drying.

xControl

The new xControl unit with color display and industrial membrane keyboard offers users an easy, intuitive and multi-lingual user interface for managing the timing and energy of the system.

The timers can be easily adjusted with the ability to activate a countdown timer. The xControl control unit also offers the option of activating a definable drying cycle via an external input (EIB/home automation, etc.).



Primus Uni 10




Primus Mask 15



Primus Set 4



Primus Set 8



Primus Uni 10 Drying locker

20 aluminum drying arms (alu oval) with special plastic drying nozzles for boots/ gloves (10 pairs)







Also available in stainless steel

| Technical data | | | | | |
|----------------|---------------------------|------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-001 | Primus Uni 10 | 198 x 60 x 76 cm | 95 kg | 2150 W | 230 V AC |
| 62-112-001 | Primus Uni 10 Sterex | 198 x 60 x 76 cm | 95 kg | 2160 W | 230 V AC |
| 62-112-002 | Primus Uni 10 Inox Sterex | 198 x 60 x 76 cm | 95 kg | 2160 W | 230 V AC |

Primus Mask 15 Mask drying locker

15 internally ventilated mask holders provide an optimum hold and material-friendly drying.



xControl



| Technical data | | | | | |
|----------------|-----------------------|------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-003 | Primus Mask 15 | 198 x 60 x 76 cm | 93 kg | 2150 W | 230 V AC |
| 62-112-003 | Primus Mask 15 Sterex | 198 x 60 x 76 cm | 93 kg | 2160 W | 230 V AC |

Primus Set 4 Standard Drying locker

8 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (4 pairs) and gloves (4 pairs) as well as a bar for clothes hangers.





| Technical data | | | | | |
|----------------|------------------------------|------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-004 | Primus Set 4 Standard | 198 x 60 x 76 cm | 97 kg | 2150 W | 230 V AC |
| 62-112-004 | Primus Set 4 Standard Sterex | 198 x 60 x 76 cm | 97 kg | 2160 W | 230 V AC |

Primus Set 4 Premium Drying locker

8 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (4 pairs) and gloves (4 pairs).

4x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants make handling and drying easier.



xControl



| Technical data | | | | | |
|----------------|-----------------------------|------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-005 | Primus Set 4 Premium | 198 x 60 x 76 cm | 100 kg | 2150 W | 230 V AC |
| 62-112-005 | Primus Set 4 Premium Sterex | 198 x 60 x 76 cm | 100 kg | 2160 W | 230 V AC |

Primus Set 4 Helmet Premium Drying locker

8 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (4 pairs) and gloves (4 pairs).

4x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants and 4 internally ventilated helmet holders make handling and drying easier.



xControl



| Technical data | | | | | |
|----------------|------------------------------------|------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-006 | Primus Set 4 Helmet Premium | 198 x 60 x 76 cm | 101 kg | 2150 W | 230 V AC |
| 62-112-006 | Primus Set 4 Helmet Premium Sterex | 198 x 60 x 76 cm | 101 kg | 2160 W | 230 V AC |

Primus Set 8 Standard Drying locker

16 aluminum drying arms (alu oval) apiece with special plastic drying nozzles for boots (8 pairs) and gloves (8 pairs), bar for clothes hangers.



| Technical data | | | | | |
|----------------|------------------------------|-------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-007 | Primus Set 8 Standard | 198 x 120 x 76 cm | 146 kg | 2150 W | 230 V AC |
| 62-112-007 | Primus Set 8 Standard Sterex | 198 x 120 x 76 cm | 146 kg | 2160 W | 230 V AC |

Primus Set 8 Premium Drying locker

16 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (8 pairs) and gloves (8 pairs).

8x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants make handling and drying easier.



| Technical data | | | | | |
|----------------|-----------------------------|-------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-008 | Primus Set 8 Premium | 198 x 120 x 76 cm | 154 kg | 2150 W | 230 V AC |
| 62-112-008 | Primus Set 8 Premium Sterex | 198 x 120 x 76 cm | 154 kg | 2160 W | 230 V AC |

Primus Set 8 Helmet Premium Drying locker

16 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (8 pairs) and gloves (8 pairs).

8x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants and 8 internally ventilated helmet holders make handling and drying easier.





| Technical data | | | | | |
|----------------|------------------------------------|-------------------|--------|-------------------|----------------|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage |
| 62-012-009 | Primus Set 8 Helmet Premium | 198 x 120 x 76 cm | 155 kg | 2150 W | 230 V AC |
| 62-112-009 | Primus Set 8 Helmet Premium Sterex | 198 x 120 x 76 cm | 155 kg | 2160 W | 230 V AC |

Econ

The Econ series drying lockers are available in a range of different versions and cover a wide selection of optional equipment.

The following versions are available:

- Econ Set 4 (Premium, Helmet-Premium)
- Econ Set 8 (Premium, Helmet-Premium)
- Econ Jacket 16 Premium
- Econ Universal

Our GreenDry technology ensures the most energy-efficient and fastest drying thanks to condensation drying and can also be used at low ambient temperatures of 7 $^{\circ}$ C and above.

Maximum quality.

We only process hot galvanized high-quality thin-gage sheet metal. Together with our in-house powder coating, we ensure maximum corrosion protection.

Material-friendly drying.

A high-quality air circulation fan integrated into the body combined with heatedair ensures material-friendly and energy-saving kit drying.

xControl.

The new xControl control unit with color display and industrial membrane keyboard offers users an easy, intuitive and multi-lingual user interface for the managing the timing and energy of the system.

The timers can be freely adjusted and a countdown timer can also be activated. The xControl control unit also offers the option of activating a definable drying cycle via an external input (EIB/home automation, etc.).



Econ Set 4 Prem



Econ Set 8 Prem



Econ Jacket16 Prem



Econ Universal



on-site drainage

Econ Set 4 Premium Drying locker

8 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (4 pairs) and gloves (4 pairs).

4x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants.



xControl



water tank

| Technical data | | | | | | |
|----------------|---------------------------|------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-013-001 | Econ Set 4 Premium | 205 x 60 x 76 cm | 133 kg | 1580 W | 230 V AC | |
| 62-113-001 | Econ Set 4 Premium Sterex | 205 x 60 x 76 cm | 133 kg | 1590 W | 230 V AC | |

Econ Set 4 Helmet Premium Drying locker

8 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (4 pairs) and gloves (4 pairs).

4x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants and 4 internally ventilated helmet holders make handling and drying easier.



xControl



water tank

| Technical data | | | | | | |
|----------------|----------------------------------|------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-013-002 | Econ Set 4 Helmet Premium | 205 x 60 x 76 cm | 136 kg | 1580 W | 230 V AC | |
| 62-113-002 | Econ Set 4 Helmet Premium Sterex | 205 x 60 x 76 cm | 136 kg | 1590 W | 230 V AC | |

Econ Set 8 Premium Drying locker

16 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (8 pairs) and gloves (8 pairs).

8x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants.



water tank

| Technical data | | | | | | |
|----------------|---------------------------|-------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-013-003 | Econ Set 8 Premium | 205 x 120 x 76 cm | 199 kg | 1890 W | 230 V AC | |
| 62-113-003 | Econ Set 8 Premium Sterex | 205 x 120 x 76 cm | 199 kg | 1900 W | 230 V AC | |

Econ Set 8 Helmet Premium Drying locker

16 aluminum (alu oval) drying arms apiece with special plastic drying nozzles for boots (8 pairs) and gloves (8 pairs).

8x unique, removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and pants and 8 internally ventilated helmet holders make handling and drying easier.



xControl



water tank

| Technical data | | | | | | |
|----------------|----------------------------------|-------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-013-004 | Econ Set 8 Helmet Premium | 205 x 120 x 76 cm | 201 kg | 1890 W | 230 V AC | |
| 62-113-004 | Econ Set 8 Helmet Premium Sterex | 205 x 120 x 76 cm | 201 kg | 1900 W | 230 V AC | |

Econ Jacket 16 Premium Drying locker

16x removable blow-out stainless steel clothes hangers (air hanger) for hanging up jackets and trousers.



| Technical data | | | | | | |
|----------------|-------------------------------|-------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-013-005 | Econ Jacket 16 Premium | 205 x 120 x 76 cm | 199 kg | 1890 W | 230 V AC | |
| 62-113-005 | Econ Jacket 16 Premium Sterex | 205 x 120 x 76 cm | 199 kg | 1900 W | 230 V AC | |

Econ Universal Drying locker

Three different designs:

- Removable stainless steel grate
- Removable stainless steel container with two baskets
- Variable rear panel for individual configuration with the various drying nozzles



| Technical data | | | | | | |
|----------------|-----------------------|-------------------|--------|-------------------|----------------|--|
| Article no. | Name | H x W x D | Weight | Power consumption | Supply voltage | |
| 62-013-006 | Econ Universal | 205 x 120 x 76 cm | 199 kg | 1890 W | 230 V AC | |
| 62-113-006 | Econ Universal Sterex | 205 x 120 x 76 cm | 199 kg | 1900 W | 230 V AC | |

Optional accessories for greater flexibility and convenience.

Special nozzles



Large shoe nozzle as standard

Article no. 62-010-403



Shoe nozzle, long with pointed tip

Nozzle for boots and short boots with a leg height of up to 30 cm.

Article no. 62-010-402 (alu oval pipe, large with bottom metal pointed tip)



Universal nozzle, long

Ideal for shoes and Boots up to a cuff height of 20 cm as well as for long gloves.

Article no. 62-010-401 (alu oval pipe, small)



Universal nozzle small

Article no. 62-010-407



Glove nozzle small standard

Article no. 62-010-408



Helmet holder

Article no. 62-010-409



Large nozzle holder

Including fastening screws
For large shoe nozzle standard
For long shoe nozzle with sword

For air hangers
Article no. 62-010-406



Nozzle holder small

Including fastening screws

For universal nozzle long

For universal nozzle small

For glove nozzle small standard

For helmet holder

Article no. 62-010-410



Adapter for Air Hanger

For air hanger to nozzle holder large

Article no. 62-010-405



Air Hanger made of stainless steel

Article no. 62-010-404



Special Bit

For screws nozzle holder

Article no. 62-010-411

Base Set



Base set Tantum series

Article no. 62-010-311



Base set Tantum 2x20

Article no. 62-010-313

Water drip tray, stainless steel



Drain Pan, stainless steel

Tantum series

Water drip tray, 40 cm Article no. 62-010-301



Drain Pan, stainless steel

Tantum series

Water drip tray, 60 cm

Article no. 62-010-302



Drain Pan, stainless steel Tantum series

Water drip tray, 90 cm

Article no. 62-010-303



Drain Pan, stainless steel Tantum series

Water drip tray, 120 cm

Article no. 62-010-304

Sloped roof Primus and Econ series



Sloped roof, Primus and Econ

drying lockers

Sloped roof 60 cm

Article no. 62-010-305



Sloped roof, Primus and Econ drying lockers

Sloped roof 120 cm

Article no. 62-010-306



Angled roof made of stainless steel, Primus and Econ

Angled roof 60 cm

Article no. 62-010-312

Optional accessories for greater flexibility and convenience.

Accessories Econ universal drying cabinet



Stainless steel basket

60 cm

Article no. 62-010-314



Stainless steel tray

120 cm

Article no. 62-010-315



Stainless steel grate

120 cm

Article no. 62-010-316

Additional accessories



Adjustable foot set for Primus and Econ series

Consisting of 4 adjustable bases

Article no. 62-010-308



External input for xControl

For control through an EIB bus system, for example

Article no. 62-010-309



Bench

The ergonomically designed HPL bench is the perfect complement to your drying solution.

W x H x D: 100 x 45 x 40 cm

Article no. 62-010-310



Open drying systems with room air

- xDry circulating air drying ensures that equipment is dried in a material-friendly and energy-saving manner.
- The mControl is equipped with a predefined timer function, or can be programmed via an external timer (optional WLAN timer).
- Sterex plasma technology (optional): Disinfection and odor neutralization without the use of toxic or environmentally harmful chemicals.
- The dryer is supplied ready to plug in (Plug & Play) for faster installation.
- Equipment: With and without function panel









Talentum Uni 3 Boot & glove dryer

The Talentum Uni 3 is the ideal entry-level unit for anyone who requires a space-saving dryer with first-class drying performance. The Talentum Uni 3 is designed for single-sided use and can therefore fit into even the tightest spaces. The 6 aluminum drying arms (alu oval) with special plastic drying nozzles are designed for universal use with sports shoes, hiking boots, ski boots, and gloves.

Talentum Uni 5 Boot & glove dryer

The Talentum Uni 5 is the ideal drying partner for families! Thanks to its space-saving single-sided design, the Talentum Uni 5 is perfect for the needs of families. 10 aluminum drying arms (alu oval) are equipped with special plastic nozzles, and dry quickly and reliably - be it sports shoes, hiking boots, ski boots, or gloves.

Colors and finishes







Architectural Bronze



Wood finish 1020 Oak black brown



Talentum Uni 10 Boot & glove dryer

Doubly good: With its double-sided design, the Talentum Uni 10 is the ideal entry-level device for your guest accommodation. The 20 aluminum drying arms (alu oval) with special plastic drying nozzles are designed for universal use. They can be used to dry sports shoes, hiking boots, ski boots, and gloves. Put a smile on your guests' faces by making sure they can always slip into dry, warm boots, shoes, and gloves.

Talentum Set 2 Universal dryer

The Talentum Set 2 is the premium solution when it comes to space-saving drying with maximum efficiency. The double-sided design is ideal for shoes, clothing, and helmets. The universal dryer impresses with 8 aluminum drying arms (alu oval) with special plastic drying nozzles. Also included in the package are two innovative, detachable stainless steel blow-out hangers (air hanger) and two internally ventilated helmet holders that simplify handling and drying.




Wood finish 1320 Walnut

You can find further information about the Talentum range at www.wintersteiger.com/talentum



Classic locker room products

WINTERSTEIGER offers an extremely extensive complete range of metal locker systems which are excellent value for money.









3D

WINTERSTEIGER. A Global Player.

WINTERSTEIGER AG is an international machinery and plant engineering group. Founded in 1953, it has gradually established itself as a leading provider of innovative solutions for customers in technically sophisticated niche markets. The business fields of the company consist of:

SEEDMECH

■ Turnkey solutions for plant breeding and research

SPORTS

- One-stop supplier for the rental and servicing of sports products
- Systems for hygienic drying of sports goods and work clothes
- Custom solutions for feet

■ WOODTECH

- Process solutions for precision thin-cutting, wood repairs and cosmetics
- Saw blades for wood, food, and metal
- Machines for mobile and stationary sawmills
- Plants and automation solutions

METALS

■ Levelling technology machines and systems



Headquarters at Ried im Innkreis, Upper Austria

Success begins with the right decisions. At the right time. We look forward to you!





Headquarters:

Austria: WINTERSTEIGER AG, 4910 Ried, Dimmelstrasse 9, Tel.: +43 7752 919-0, Fax: +43 7752 919-52, drytech@wintersteiger.at

For customers in Germany only: Tel.: +49 3628 66399-1940

International Companies:

France: SKID-WINTERSTEIGER S.A.S., Parc d'Activités Alpespace - 102 voie Galilée, 73800 Ste. Hélène du Lac, Tel.: +33 479 25-1160, Fax: +33 479 25-1161, contact@drytech.fr

Italy: WINTERSTEIGER Italia s.r.l., 39036 Badia (BZ), Fraz. La Villa - Strada Ninz 82, Tel.: +39 0471 844 186, Fax: +39 0471 188 1664, info@wintersteiger.it

Canada: WINTERSTEIGER Inc., CDN-Laval Q.C. H7L 5A1, 964 Bergar Street, Tel.: +1 450 663 7800, Fax: +1 450 663 2896, info@canada.wintersteiger.com

Russia: OOO WINTERSTEIGER, Krzhizhanovsky Str. 14, Build. 3, 117218 Moscow, Russia, Tel.: +7 495 645 84 91, Fax: +7 495 645 84 92, office@wintersteiger.ru

USA: WINTERSTEIGER Inc., 4705 Amelia Earhart Drive, Salt Lake City, UT 84116-2876, Tel.: +1 801 355-6550, Fax: +1 801 355-6541, mailbox@wintersteiger.com

Representations: